

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 30.08.2017

Version number 3

Revision: 30.08.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: Scanomat Topbrewer Rengøringstabletter

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture Cleaning tablets for brewing chamber

1.3 Details of the supplier of the safety data sheet

Supplier:

Scanomat A/S
Vibe Alle 3
DK-2980 Kokkedal
Telefon: +45 49 181800

Manufacturer:

O2-Tabs Desinfektion GmbH
- Member of the Medea Group -
Silberhofstr. 88
D-09599 Freiberg

Further information obtainable from:

Tel.: +49 4331 69620 0
Fax: +49 4331 69620 22
E-Mail: info@medeagroup.de

1.4 Emergency telephone number:

Giftinformationen
Bispebjerg Hospital
DK-2400 København NV
Tel.: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS07

Signal word Warning**Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 2)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 30.08.2017

Version number 3

Revision: 30.08.2017

Trade name: Scanomat Topbrewer Rengøringsstabletter

(Contd. of page 1)

Precautionary statements

P102 Keep out of reach of children.
 P264 Wash hands thoroughly after handling.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 15630-89-4 EINECS: 239-707-6 Reg.nr.: 01-2119457268-30-xxxx	sodium percarbonate Ox. Sol. 3, H272; Eye Dam. 1, H318; Acute Tox. 4, H302	10-25%
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2 Reg.nr.: 01-2119485498-19-xxxx	sodium carbonate Eye Irrit. 2, H319	2.5-10%
CAS: 77-92-9 EINECS: 201-069-1 Reg.nr.: 01-2119457026-42-xxxx	citric acid Eye Irrit. 2, H319	2.5-10%
CAS: 151-21-3 EINECS: 205-788-1 Reg.nr.: 01-2119489461-32-xxxx	sodium dodecyl sulphate Flam. Sol. 1, H228; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335; Aquatic Chronic 3, H412	≥0.1-<2.5%

Specific concentration limits

Sodium percarbonate CAS 15630-89-4: Eye Dam. 1: > 25 %; Eye Irrit. 2: ≥ 7.5 - < 25 %
 Sodium dodecyl sulphate CAS 151-21-3: Eye Dam. 1: ≥ 20 %; Eye Irrit. 2: ≥ 10 - < 20 %.

Regulation (EC) No 648/2004 on detergents / Labelling for contents

oxygen-based bleaching agents 15-30 %

anionic surfactants <5 %

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures**After inhalation:** No special measures required.**After skin contact:** Immediately rinse with water.**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 30.08.2017

Version number 3

Revision: 30.08.2017

Trade name: Scanomat Topbrewer Rengøringsstabletter

(Contd. of page 2)

Do not induce vomiting.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.**5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

5.3 Advice for firefighters**Protective equipment:** Wear self-contained respiratory protective device.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.

Wash residues with water.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling** Prevent formation of dust.**Information about fire and explosion protection:** Protect from heat.**7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:**

Keep container tightly sealed.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.**SECTION 8: Exposure controls/personal protection****Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 4)

EU

Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 30.08.2017

Version number 3

Revision: 30.08.2017

Trade name: Scanomat Topbrewer Rengøringsstabletter

(Contd. of page 3)

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: Not necessary if room is well-ventilated.

Protection of hands: Protective gloves

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Tablets
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value:	Not applicable.
------------------	-----------------

Change in condition

Melting point/freezing point:	Not determined.
Initial boiling point and boiling range:	Not determined.

Flash point:	Not applicable.
---------------------	-----------------

Flammability (solid, gas):	Not determined.
-----------------------------------	-----------------

Ignition temperature:	Not determined.
------------------------------	-----------------

Decomposition temperature:	Not determined.
-----------------------------------	-----------------

Auto-ignition temperature:	Product is not selfigniting.
-----------------------------------	------------------------------

Explosive properties:	Product does not present an explosion hazard.
------------------------------	---

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 30.08.2017

Version number 3

Revision: 30.08.2017

Trade name: Scanomat Topbrewer Rengøringsstabletter

(Contd. of page 4)

Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with water:	Easily soluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0,0%
VOC (EC)	0.00 %
Solids content:	100,0%
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable if stored according to specifications.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	>3,956-4,489 mg/kg (rat)
Inhalative	LC50/4 h	75 mg/l

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

(Contd. on page 6)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 30.08.2017

Version number 3

Revision: 30.08.2017

Trade name: Scanomat Topbrewer Rengøringsstabletter

(Contd. of page 5)

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.**CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity**Aquatic toxicity:****15630-89-4 sodium percarbonate**

LC50/96h 70.7 mg/l (Pimephales promelas)

EC50/48h 4.9 mg/l (Daphnia pulex)

77-92-9 citric acid

LC50/48h 440 mg/l (fish)

LC50/24h 1,535 mg/l (Daphnia magna)

151-21-3 sodium dodecyl sulphate

LC50/96h >10-100 mg/l (Pimephales promelas)

EC50/48h >1-10 mg/l (Ceriodaphnia dubia)

12.2 Persistence and degradability The contained surfactants are easily biodegradable.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

20 01 29* detergents containing hazardous substances

15 01 02 plastic packaging

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 30.08.2017

Version number 3

Revision: 30.08.2017

Trade name: Scanomat Topbrewer Rengøringsstabletter

(Contd. of page 6)

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN-Number ADN, IMDG, IATA	not regulated
14.2 UN proper shipping name ADN, IMDG, IATA	not regulated
14.3 Transport hazard class(es) ADNR Class:	not regulated
14.4 Packing group IMDG, IATA	not regulated
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 GHS label elements

Directive 2012/18/EU**Named dangerous substances - ANNEX I** None of the ingredients is listed.**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H228 Flammable solid.

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

(Contd. on page 8)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 30.08.2017

Version number 3

Revision: 30.08.2017

Trade name: Scanomat Topbrewer Rengøringsstabletter

(Contd. of page 7)

H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Department R&D**Contact:** Dr. Niels Ole Vesterager**Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Sol. 1: Flammable solids – Category 1
Ox. Sol. 3: Oxidizing solids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data changed with respect to previous version.**

EU